. REFERENCES

[1] Abdelrahman Abuarqoub, et.al. (2012),"Simulation Issues in Wireless Sensor Networks: A Survey", SENSORCOMM 2012: The Sixth International Conference on Sensor Technologies and Applications, PP.222-228.

[2] Amit Sharma, et.al. (2011),"Energy Management for Wireless Sensor Network Nodes", International Journal of Advances in Engineering & Technology, Vol. 1, PP.7-13.

[3] Apoorva Jain and Dr Naveen Hemrajani (2013),"Performance analysis and evaluation by simulation of Wireless sensor network using Energy efficient algorithm", International Journal of Application or Innovation in Engineering & Management, Volume 2, Issue 1,PP.236-239.

[4] Basavaraj G N, et.al. (2013)," Analysis of Distributed Algorithms with Adjustable Sensing Ranges and Placement Strategies for Improving the Lifetime of Heterogeneous WSNs", International Journal of Engineering Science and Innovative Technology Volume 2, Issue 6, PP.104-108.

[5] B. Sai Chand, et.al. (2013)," Exploration of New Simulation Tools for Wireless Sensor Networks", International Journal of Science and Research, Volume 2, Issue 4, PP.269-273.

[6] Carolina Del-Valle-Soto, et.al. (2014)," On the MAC/Network/Energy Performance Evaluation of Wireless Sensor Networks: Contrasting MPH, AODV, DSR and ZTR Routing Protocols", Sensors, PP. 22811-22847.

[7] David C. Black and Jack Donovan (2004)," SYSTEMC: FROM THE GROUND UP" PP.30-38.

[8] David Navarro, et.al. (2011)," Design Framework for Heterogeneous Hardware and Software in Wireless Sensor Networks", ICSNC 2011:The Sixth International Conference on Systems and Networks Communications,PP.111-116.

[9] D. Navarro, et.al. (2012),” Heterogeneous Wireless Sensor Network Simulation”, SENSORCOMM 2012: The Sixth International Conference on Sensor Technologies and Applications, PP.292-295.

[10] David Navarro, et.al. (2014),” Simulation of Hardware and Software in Heterogeneous Wireless Sensor Network”, International Journal on Advances in Networks and Services, vol. 7, no. 1 & 2, PP.97-107.

[11] Farid Faoudi, et.al. (2012),” NS-2 Based Framework for Topology Control in Wireless Ad-hoc Networks”, Communications in Information Science and Management Engineering, Vol. 2 Issue. 4, PP. 1-7.

[12] F. Fummi, et.al. (2008),” A SystemC-based Framework for Modeling and Simulation of Networked Embedded Systems”, Forum on Specification and Design Languages, PP.49-54.

[13] Gowrishankar.S, et.al. (2008),” Issues in Wireless Sensor Networks”, Proceedings of the World Congress on Engineering, Vol- I, PP.1-12.

[14] Hai-Ying Zhou, et.al. (2011),” Modeling of Node Energy Consumption for Wireless Sensor Networks”, Wireless Sensor Network, PP.18-23.

[15] Harsh Sundani, et.al. (2015),” Wireless Sensor Network Simulators A Survey and Comparisons”, International Journal Of Computer Networks (IJCN), Volume -2, Issue-5, PP.249-265.

[16] Ibrahim A. Aref, et.al. (2014),” Design Channel Nonpersistent CSMA MAC Protocol Model for Complex Wireless Systems Based on SoC Methodology”, International Conference on Computer, Communications and Information Technology, PP.182-185.

[17] Jan Haase (2013),” Power Simulation and Power Profiling of Wireless Sensor Networks”, International Journal of Recent Technology and Engineering, Volume-2, Issue-4, PP.110-116.

[18] Juan Carlos Cano and Pietro Manzoni (2000),” A Performance Comparison of Energy Consumption for Mobile Ad Hoc Networks Routing Protocols”, 8th International Symposium on modeling, analysis and Simulation of Computer and Telecommunication Systems, PP.57-64.

[19] Kazem Sohraby, et.al. (2007),” Wireless Sensor Networks-Technology, Protocols, and Applications”, PP.10-20.

[20] Manish Soriya (2014),” Performance Parameter Analysis of Wireless Ad hoc Network Using NS2”, International Journal of Engineering Development and Research, Volume 2, Issue 2, PP.1481-1484.

[21] M. Edal Anand, et.al. (2013),” Energy Efficiency of Cooperative Communication in Wireless Sensor Networks”, International Journal of Data Mining Techniques and Applications, Vol: 02, P.P 300-314.

[22] Mihaela Cardei, et.al. (2005),” Maximum network lifetime in wireless sensor networks with adjustable sensing ranges”, IEEE International Conference on Wireless and Mobile Computing, Networking and Communications,Vol.3,PP. 438-445.

[23] Mihai Lazarescu, et.al. (2012),” SystemC model generation for realistic simulation of networked embedded systems”, IEEE, PP. 423-426.

[24] M. N. Halgamuge, et.al. (2009),” An Estimation Of Sensor Energy Consumption”, Progress In Electromagnetics Research B, Vol. 12, PP.259–295.

[25] Mrs. Poonam Chhimwal, et.al. (2013),” Comparison between Different Wireless Sensor Simulation Tools”, IOSR Journal of Electronics and Communication Engineering, Volume 5, Issue 2, PP. 54-60

[26] Najmeh Kamyabpour and Doan B.Hoang (2010),” Modeling overall energy consumption in Wireless Sensor Networks”, International Conference on Parallel and Distributed Computing, Applications and Technologies, PP.1-8.

[27] Nanhao Zhu, et.al. (2011),” Research on High Data Rate Wireless Sensor Networks”, 14th National Days of the Doctoral Network Micro and Nanoelectronics (JNRDM 2011), PP.1-5.

[28] Neetu Kumari, et.al. (2013), “Designing Low Power Wireless Sensor Networks: A Brief Survey”, International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering, Vol. 2, Issue 9, PP.4447-4456.

[29] Pouria Zand, et.al. (2014),” Implementation of Wireless HART in the NS-2 Simulator and Validation of Its Correctness”, Sensors,PP. 8633-8668.

[30] Reza Rasouli, et.al. (2013),” International Journal of Advanced Research in Computer Science and Software Engineering”, Volume 3, Issue 5, PP.43-55.

[31] Robin Singh Bhadoria, et.al. (2014),” Proficient Energy Consumption Aware Model in Wireless Sensor Network”, International Journal of Multimedia and Ubiquitous Engineering Vol.9, No.5, PP.27-36.

[32] Saira Banu and R.Dhanasekaran (2012),” A New Multipath Routing Approach for Energy Efficiency in Wireless Sensor Networks”, International Journal of Computer Applications, Volume 55– No.11, PP.24-30.

[33] Sandra Sendra, et.al. (2011),” Power saving and energy optimization techniques for Wireless Sensor Networks”, Journal of Communications, VOL. 6, NO. 6, PP.439-459.

[34]Sohail Jabbar, et.al. (2015)”, Energy Efficient Strategy for Throughput Improvement in Wireless Sensor Networks”, Sensors, PP. 2473-2495.

[35] Soledad Escolar, et.al. (2012),"Cross Layer Adaptation of Check Intervals in Low Power Listening MAC Protocols for Lifetime Improvement in Wireless Sensor Networks", Sensors, PP.10511-10535.

[36] Tom J. Kazmierski, et.al. (2012)," Modeling of Wireless Sensor Nodes Powered by Tunable Energy Harvesters: HDL-Based Approach", IEEE SENSORS JOURNAL, VOL. 12, NO. 8, PP.2680-2689.

[37] V.Chandrasekaran, et.al. (2013)," A Research Survey on Experimental Tools for Simulating Wireless Sensor Networks", International Journal of Computer Applications, Volume 79 – No 16, PP.1-9.

[38] Vyacheslav Zalyubovskiy, et.al. (2009)," Energy-efficient Area Coverage by Sensors with Adjustable Ranges", Sensors, PP.2446-2460.

[39] Waltenegus Dargie and Christian Poellabauer (2010)," Fundamentals of Wireless Sensor Networks Theory and Practice", PP.7-10,133-297.

[40] Wan Du, et.al. (2010)," Towards a Taxonomy of Simulation Tools for Wireless Sensor Networks", SIMUTools 2010, PP.1-7.

[41] Wan Du, et.al. (2011)," IDEA1: A Validated SystemC-Based Simulator for Wireless Sensor Networks", 2011 Eighth IEEE International Conference on Mobile Ad-Hoc and Sensor Systems, PP.825-830.

[42] Wan Du, et.al. (2010)," Modeling Energy Consumption of Wireless Sensor Networks by SystemC", 2010 Fifth International Conference on Systems and Networks Communications, PP.94-98.

[43] Wan Du, et.al. (2011),” IDEA1: A validated SystemC-based system-level design and simulation environment for wireless sensor networks”, EURASIP Journal on Wireless Communications and Networking, PP.1-20

[44] Wan Du, et.al. (2014),” Modeling and simulation of networked low-power embedded systems: a taxonomy”, EURASIP Journal on Wireless Communications and Networking, PP.1-12.

[45] Yunjiao Xue, et.al. (2007),” Performance Evaluation of NS-2 Simulator for Wireless Sensor Networks”,IEEE,PP.1372-1375.